
# **NEEGAN** BURNSIDE

Appendix E
Visual Study













# **GL** Garrad Hassan



# RENEWABLE ENERGY APPROVAL APPLICATION - VISUAL STUDY GRAND BEND WIND FARM, ONTARIO

Client Grand Bend Wind Limited Partnership
Contact Lyle Parsons/Gordon Potts
Document No. 800281-CAOT-R-02
Issue A
Status Draft
Classification Client's Discretion
Date 13 August 2012

Author:

M. Le Roux, A. Brunskill

Checked by:

P. Henn

Approved by:

P.Henn, D. Eaton

#### IMPORTANT NOTICE AND DISCLAIMER

1. Acceptance of this document by the Client is on the basis that GL Garrad Hassan Canada Inc., a GL group member operating under the GL Garrad Hassan brand (hereafter "GL GH"), is not in any way to be held responsible for the application or use made of the findings and the results of the analysis herein and that such responsibility remains with the Client.

This Report shall be for the sole use of the Client for whom the Report is prepared. The document is subject to the terms of the Agreement between the Client and GL GH and should not be relied upon by third parties for any use whatsoever without the express written consent of GL GH. The Report may only be reproduced and circulated in accordance with the Document Classification and associated conditions stipulated in the Agreement, and may not be disclosed in any offering memorandum without the express written consent of GL GH.

GL GH does not provide legal, regulatory, tax and/or accounting advice. The Client must make its own arrangements for consulting in these areas.

This document has been produced from information as of the date hereof and, where applicable, from information relating to dates and periods referred to in this document. The Report is subject to change without notice and for any reason including, but not limited to, changes in information, conclusion and directions from the Client.

2. This Report has been produced from information relating to dates and periods referred to herein. Any information contained in this Report is subject to change.

#### KEY TO DOCUMENT CLASSIFICATION

Strictly Confidential For disclosure only to named individuals within the

Client's organization

Private and Confidential For disclosure only to individuals directly concerned

with the subject matter of the Report within the

Client's organization

Commercial in Confidence Not to be disclosed outside the Client's organization

GL GH only

Not to be disclosed to non-GL GH staff

Client's Discretion Distribution for information only at the discretion of

the Client (subject to the above Important Notice and

Disclaimer)

Published Available for information only to the general public

(subject to the above Important Notice and Disclaimer)

© 2012 GL Garrad Hassan Canada Inc.

800281-CAOT-R-02

Issue: A

Issue	Issue Date	Summary
A	13 August 2012	Initial issue for review

# TABLE OF CONTENTS

1	INI	RODUCTION	J			
2	DES	DESCRIPTION OF THE WIND FARM SITE				
_	2.1	Site Description				
2.2 Wind Farm Layout and Turbines						
	2.3	Applicable Regulations				
3	VIS	UAL SIMULATIONS				
	3.1	Landscapes				
	3.2	Selection of Viewpoints				
	3.3	Description of Viewpoints				
	3.4	Visual Simulation Methodology				
4	RES	SULTS	6			
5		NCLUSIONS				
3						
6	REF	TERENCES	9			
API	PENDI	X A TURBINE LAYOUT	10			
API	PENDI	X B VISUAL SIMULATION LOCATION MAP	12			
ΔPI	PENDI	X C VISUAL SIMULATIONS OF THE GRAND REND WIND FARM	<b>1</b> ⊿			



#### 1 INTRODUCTION

Grand Bend Wind Limited Partnership, c/o Northland Power Inc. ("the Proponent" or "Northland") is proposing to develop, construct and operate a 100 MW wind facility located north of Grand Bend, Ontario. An application for approval is being prepared under Ontario Regulation 359/09 of the Environmental Protection Act. The Grand Bend Wind Farm ("the Project") is located in Huron County, spanning the lower-tier municipalities of Bluewater and Huron South. Portions of the transmission line also traverse the municipality of Huron East and municipality of West Perth in Perth County. The Project is classified as a Class 4 Wind Facility under the Regulation.

The basic Project components will include up to 48 turbines (Siemens SWT-2.3-113 direct drive wind turbine generators with a total name plate capacity of 100 MW), turbine access roads, a 36 kV electrical collection system, and a substation. The Project also includes a new transmission line within municipal road right-of-ways ("ROWs") along Rodgerville Road, Line 17 and Road 183 with connection to the provincial power grid at the 230 kV transmission line south of the Seaforth Transformer Station. During construction, temporary components will include access roads and work/storage areas at the turbine locations and transmission connections.

GL Garrad Hassan Canada Inc. (GL GH), a member of the GL Group and part of the GL Garrad Hassan brand, has been commissioned by Grand Bend Wind Limited Partnership to independently create visual simulations of the wind farm from viewpoints in the vicinity of the Project using specialized modeling software. Given that a visual study is not required under Ontario reg. 359/09, this report is presented as complementary information to the Renewable Energy Approval (REA) application for this Project.

This report includes a brief presentation of the Project site, a description of how the viewpoints were selected, a description of each viewpoint, an explanation of the visual simulation methodology, visual simulation results and concluding comments.

#### 2 DESCRIPTION OF THE WIND FARM SITE

#### 2.1 Site Description

The proposed Grand Bend Wind Farm is located in Southwestern Ontario, on the coast of Lake Huron, in Huron County, Ontario. More specifically, the area being studied for the wind farm components is located east of Highway 21, south of Staffa Road, west of Blackbush Line, and north of Grand Bend Line. Several small towns and villages exist in proximity to the Project, the three largest being Grand Bend, Zurich, and Dashwood. Project components will be installed on privately-owned agricultural lots.

The proposed wind farm is situated in relatively simple terrain, consisting of mostly flat areas and some rolling hills, with elevations ranging from 185 m to 220 m. The landscape in the study area is predominantly characterized by agricultural fields and associated farms punctuated with numerous hedgerows, isolated woodlands, and the occasional watercourse.

#### 2.2 Wind Farm Layout and Turbines

The proposed turbine layout, which consists of 48 Siemens SWT-2.3-113 wind turbine generators, has been supplied by the Proponent. The coordinates of each turbine are presented in Appendix A; coordinates are presented in this report in UTM Zone 17N, NAD 1983 datum [1].

The Siemens SWT-2.3-113 has a blade tip height of 156 m, a hub height of 99.5 m and a rotor diameter of 113 m.

#### 2.3 Applicable Regulations

There are no applicable local or provincial requirements with regard to visual impact for this Project.



#### 3 VISUAL SIMULATIONS

#### 3.1 Landscapes

The Grand Bend Project Area and its vicinity are composed of various types of landscapes resulting from the different land uses, namely residential, agricultural, recreational, and from the presence of natural areas (parks, woodlots, and Lake Huron).

The study area can be divided into four main landscape units, as follows:

- Residential (Town) Unit. This unit is represented by the communities nearby such as Grand Bend, Dashwood, Zurich, and their vicinities.
- *Shoreline Unit.* This unit comprises the area directly associated to the Lake Huron shoreline, characterized by open areas looking towards the lake, cottages and wooded areas.
- Parks, Beaches and Recreation Unit. This unit is represented by the beaches and parks nearby, such as Grand Bend Beach and St. Joseph's Beach.
- Agricultural Unit. This unit is the large farmland area where all the turbines of the Grand Bend Project are located; the unit comprises relatively flat, privately-owned agricultural fields, several residences and farm buildings, as well as several natural heritage features such as woodlots, wetlands and watercourses.

#### 3.2 Selection of Viewpoints

Based on this identification of landscape units, a number of photos were taken during a site visit in July 2012 from representative viewpoints in the vicinity of the Project Area in order to depict the Project. While on site, GL GH staff evaluated the general visual setting, visited all landscape units and took several pictures from each landscape unit, with the objective of providing a balanced approach to the visual study, i.e. showing various types of views from important viewpoints to adequately characterize the anticipated level of visibility of the wind farm. The ten selected viewpoints are found in Table 1, and are shown on a map in Appendix B.



No.:

**Table 1: Selected Viewpoints for the Visual Simulations** 

Viewpoint #	Photo Location #	Landscape Unit	Viewpoint	Comment
1	18	Parks and Recreational	Oakwood Golf Course	Looking east-northeast
2	36	Parks and Recreational	St. Joseph's Beach	Looking south
3	43	Parks and Recreational	Grand Bend Beach	Looking northeast
4	41	Parks and Recreational	Grand Bend Beach	Looking east
5	50	Shoreline	Elmwood Road, 200 m west of Bluewater Highway	Looking east-northeast
6	46	Residential/Agricultural	Highway 21 and Sunset Cove	Looking east-southeast
7	40	Residential/Agricultural	Bluewater Highway, 100 m south of King Street	Looking east-southeast
8	38	Residential/Agricultural	B Line, 1 km south of Gore Road	Looking west
9	13	Residential/Agricultural	Zurich Hensall Road and Blind Line	Looking west
10	34	Residential/Agricultural	Dashwood Road, 500 m west of Centre Street	Looking northwest

#### 3.3 **Description of Viewpoints**

Viewpoints 1 to 4 were selected to represent parks, beaches, and recreational areas in the vicinity of the Project. In particular, the importance of beach views has been emphasized by the Proponent. Viewpoint 1 also represents the view from just north of the town of Grand Bend.

Viewpoint 5 was selected to represent a typical open view from the cottage areas along the Lake Huron shoreline.

Viewpoints 6 to 8 were selected to represent views from throughout the Project Area where several residences are found. Viewpoints 9 and 10 were selected to represent views from the nearby population centres of Zurich and Dashwood, respectively.

#### 3.4 **Visual Simulation Methodology**

In an effort to better illustrate the integration of the wind turbines in the landscape, photo-montages are prepared using specialized software. These photo-montages are produced by the superimposition of a technical drawing on the photograph of a landscape.

The technical drawing shows the wind turbines on a given territory, observed from a specific viewpoint and from a specific angle, while taking into consideration topographical contour lines, the Project's layout configuration, and the wind turbine model's specifications. Other landscape components such as vegetation cover and existing structures are not considered in the technical drawing.

No.:

This technical drawing is then superimposed on a landscape photograph taken from the same geographical point to allow the visualization of the wind turbines in a real landscape. Parameters such as colors and contrast of the photograph, hub height, rotor diameter and geographical orientation of the rotor can be adjusted to render the visual simulation as realistic as possible.



#### 4 RESULTS

The ten visual simulations described in Section 3.2 can be found in Appendix C, each including a photo-montage, a wireframe view and the original photo used to create the photo-montage.

The visual simulations are summarized in Table 2, including comments on the visibility of turbines from each landscape unit.



**Table 2: Selected Viewpoints for the Visual Simulations** 

Landscape Unit	Visual Simulation	#	Comments	
	Oakwood Golf Course	1	Some of these areas have significant vegetation and many views, such as those from Grand Bend Beach, will be blind to the	
Parks and Recreational	St. Joseph's Beach	2	presence of the Grand Bend Wind Farm due to the presence of wooded areas in close proximity to the beach.	
Tarks and Recreational	Grand Bend Beach	3	In many cases, vegetation and houses screen the view of the lower portion of most	
	Grand Bend Beach	4	turbines.	
Shoreline	Elmwood Road, 200 m west of Bluewater Highway  Project Area.  In many cases, we the view of the laturbines.  Highly valued we directed towards		In many cases, vegetation and houses screen the view of the lower portion of most	
	Highway 21 and Sunset Cove	6	Most views within residential areas and towns are closed due to the presence of built structures.	
	Bluewater Highway, 100 m south of King Street	7	Open views are all located in the surroundings and can also be considered as	
	B Line, 1 km south of Gore Road	8	views typical of the Agricultural landscape.  In many cases, few turbines are visible due	
Residential/Agricultural	Zurich Hensall Road and Blind Line	9	to vegetation cover, buildings and other man-made structures.	
	Dashwood Road, 500 m west of Centre Street	10	Due to the winds in the area, many of the agricultural lots are bordered by windbreaks (in the form of planted hedgerows) that will partially block views of the wind farm. The agricultural landscape unit also includes some woodlots with mature trees.  Throughout this landscape, views vary from partially closed to open.	

Visual simulations have been created at ten representative viewpoints showing the expected views of the Grand Bend Wind Farm during the Project's operational phase. These viewpoints were selected to represent the range of landscapes present in the vicinity of the Project, including Parks and Recreational, the Lake Huron Shoreline, Residential, and Agricultural. Views towards the proposed wind farm vary from fully closed to open.

Given that a visual study is not required under Ontario reg. 359/09, this report is presented as complementary information to the Renewable Energy Approval (REA) application for this Project.



#### **REFERENCES** 6

[1] Turbine locations sent by email, by Paul Stubbert, RJ Burnside, to Andrew Brunskill, GL GH, July 2012. "PIA019991\_Turbine\_Location.shp"



#### APPENDIX A TURBINE LAYOUT

#### **Coordinates of turbines**

Turbine ID	Easting [m] <sup>1</sup>	Northing [m] <sup>1</sup>
T01	444036	4811878
T02	444376	4811760
T03	445882	4810067
T04	443802	4810147
T05	444206	4809869
T06	444035	4809533
T07	443954	4809147
T08	443718	4808841
T09	444323	4808855
T10	444002	4808745
T11	444330	4808461
T12	444001	4808315
T13	444228	4808041
T14	443802	4807902
T15	444500	4807773
T16	443896	4807611
T17	443376	4805355
T18	443717	4805337
T19	446261	4804829
T20	446913	4804825
T21	443635	4804535
T22	443974	4804635
T23	443320	4804183
T24	443623	4804057
T25	443997	4804036
T26	443339	4803814
T27	443638	4803681
T28	443409	4803439
T29	443154	4802383
T30	443011	4802014
T31	443540	4801110
T32	442448	4800448
T33	442838	4800465
T34	442243	4800119
T35	442757	4800013
T36	442447	4799830

Easting [m]<sup>1</sup>

442062

**Turbine ID** 

T37

Issue: A


Northing [m]<sup>1</sup>

4799669

T38	442409	4799492	
T39	441744	4799389	
T40	441527	4798742	
T41	441764	4798145	
T42	441607	4797850	
T43	442249	4797830	
T44	441123	4797225	
T45	440154	4796958	
T46	440550	4796892	
T47	440850	4796687	
T48	440529	4796554	
Coordinate system is UTM Zone 17N, NAD83 datum.			
















#### **PHOTOGRAPH - VIEW POINT**

Photograph Number: IMG\_4196 439227 E Coordinates (UTM 17 NAD83): 4796736 N

Altitude with respect to mean sea level: Date Photograph was taken : July 27<sup>th</sup>, 2012

Direction : 75 degrees T.N. Focal Length:

View span : 56 degrees Altitude of photograph with respect to ground :

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle—mid point : 99.5 m Rotor Diameter : 113 m

#### SIMULATION

Visual Simulation No. : PM01-800281GRB-IMG4196\_LOC18-E439227\_N4796736-L01-T01-D075-MLR00.WFV Configuration No.: L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 45 @ 1.0 km Furthest visible wind turbine : No. 46 @ 1.3 km

# MAP

Prepared for :



Prepared by :

Date: August 6<sup>th</sup>, 2012

Version 00

# **VISUAL SIMULATION**


As viewed from Oakwood Golf Course

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







# **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_3996 Coordinates (UTM 17 NAD83): 442175 E 4806991 N

Altitude with respect to mean sea level: 180 m

6 mm

July 26<sup>th</sup>, 2012 Date Photograph was taken :

Direction 180 degrees T.N. Focal Length :

56 degrees Altitude of photograph with respect to ground : 1.8 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

SIMULATION

View span :


Visual Simulation No. : PM02-800281GRB-IMG3996\_LOC36-E442175\_N4806991-L01-T01-D180-MLR00.WFV Configuration No. : L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation: 21

Closest visible wind turbine : No. 23 @ 3.0 km No. 48 @ 10.6 km Furthest visible wind turbine :

### MAP



Prepared for :



Prepared by :

**GL** Garrad Hassan Date: August 6<sup>th</sup>, 2012

Version 00


# **VISUAL SIMULATION**

As viewed from St. Joseph's Beach

Note:
\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







#### **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4151 Coordinates (UTM 17 NAD83) : 438057 E 4796210 N

Altitude with respect to mean sea level: 179 m

July 27<sup>th</sup>, 2012 Date Photograph was taken:

51 degrees T.N.

6 mm

Focal Length: View span :

56 degrees Altitude of photograph with respect to ground :

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

SIMULATION

Direction

Visual Simulation No. : PM03-800281GRB-IMG4151\_LOC43-E438057\_N4796210-L01-T01-D051-MLR00.WFV

Configuration No. : L01-800281GRB-20120730-MLR.WFL Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 29 @ 8.0 km Furthest visible wind turbine : No. 3 @ 15.9 km

# MAP





Date: August 3<sup>rd</sup>, 2012 Version 00


**VISUAL SIMULATION** 

As viewed from Lambton Shores -**Grand Bend Beach** 

Note:
\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







#### **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4167 Coordinates (UTM 17 NAD83) : 438366 E 4796568 N

Altitude with respect to mean sea level: 180 m

July 27<sup>th</sup>, 2012 Date Photograph was taken : Direction 76 degrees T.N.

Focal Length: 6 mm View span : 56 degrees

Altitude of photograph with respect to ground :

99.5 m

113 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : Rotor Diameter :


#### SIMULATION

Visual Simulation No.: PM04-800281GRB-IMG4167\_LOC41-E438366\_N4796568-L01-T01-D076-MLR00.WFV Configuration No. : L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project: Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : N/A Furthest visible wind turbine : N/A

# MAP



Prepared for :



Prepared by :

**GL** Garrad Hassan Date: August 3<sup>rd</sup>, 2012

Version 00


# **VISUAL SIMULATION**

As viewed from Lambton Shores -**Grand Bend Beach** 

Note:
\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4086 Coordinates (UTM 17 NAD83): 440458 E 4791100 N

Altitude with respect to mean sea level: 188 m

6 mm

July 27<sup>th</sup>, 2012 Date Photograph was taken : Direction 66 degrees T.N.

Focal Length : View span :

56 degrees Altitude of photograph with respect to ground : 1.8 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

SIMULATION

Visual Simulation No. : PM05-800281GRB-IMG4086\_LOC50-E440458\_N4799110-L01-T01-D066-MLR00.WFV Configuration No. : L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 39 @ 1.3 km

Furthest visible wind turbine : No. 33 @ 2.8 km

# MAP



Prepared by :

**GL** Garrad Hassan Date: August 6<sup>th</sup>, 2012

Version 00

# **VISUAL SIMULATION**


As viewed from Elmwood Road, 200 m west of Bluewater Highway

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_3871 443144 E Coordinates (UTM 17 NAD83) : 4810153 N

Altitude with respect to mean sea level: 198 m

Date Photograph was taken : July 26<sup>th</sup>, 2012

Direction 100 degrees T.N. Focal Length:

View span : 56 degrees

Altitude of photograph with respect to ground :

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

#### SIMULATION


Visual Simulation No.: PM06-800281GRB-IMG3871\_LOC46-E443144\_N4810153-L01-T01-D100-MLR00.WFV Configuration No.: L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 4 @ 0.7 km Furthest visible wind turbine No. 3 @ 2.7 km

#### MAP



Prepared for:



Prepared by :



Version 00

# **VISUAL SIMULATION**

As viewed from the intersection of **Highway 21 and Sunset Cove** 

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.





**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4223 442671 E Coordinates (UTM 17 NAD83) : 4805458 N

Altitude with respect to mean sea level: 195 m

6 mm

July 27<sup>th</sup>, 2012 Date Photograph was taken :

Direction 106 degrees T.N. Focal Length:

View span : 56 degrees Altitude of photograph with respect to ground : 1.8 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

SIMULATION


Visual Simulation No. : PM07-800281GRB-IMG4223\_LOC40-E442671\_N4805458-L01-T01-D106-MLR00.WFV Configuration No.: L01-800281GRB-20120730-MLR.WFL

Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

No. 17 @ 0.7 km Closest visible wind turbine : Furthest visible wind turbine : No. 22 @ 1.5 km

#### MAP



Prepared for :

WIRE FRAME



Prepared by :

**GL** Garrad Hassan Date: August 3<sup>rd</sup>, 2012

Version 00

# **VISUAL SIMULATION**

As viewed from Bluewater Highway, 100 m south of King Street

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.





# **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4213

441473 E Coordinates (UTM 17 NAD83) : 4796483 N Altitude with respect to mean sea level: 191 m

Date Photograph was taken : July 27<sup>th</sup>, 2012

Direction 280 degrees T.N. Focal Length:

View span : 56 degrees Altitude of photograph with respect to ground : 1.8 m

6 mm

99.5 m

113 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle—mid point : Rotor Diameter :

SIMULATION


Visual Simulation No. : PM08-800281GRB-IMG4213\_LOC38-E441473\_N4796483-L01-T01-D280-MLR00.WFV

Configuration No.: L01-800281GRB-20120730-MLR.WFL Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 47 @ 0.7 km Furthest visible wind turbine : No. 45 @ 1.4 km

# MAP



Prepared for :



Prepared by :




Date: August 6<sup>th</sup>, 2012 Version 00

# **VISUAL SIMULATION**


As viewed from B Line, 1 km south of **Gore Road** 

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.







#### **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_3973 Coordinates (UTM 17 NAD83): 450446 E 4807922 N

Altitude with respect to mean sea level: 260 m

Date Photograph was taken: July 26<sup>th</sup>, 2012 Direction 270 degrees T.N.

6 mm

N/A

N/A

Focal Length: View span : 56 degrees

Altitude of photograph with respect to ground : 1.8 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : 99.5 m Rotor Diameter : 113 m

SIMULATION


Visual Simulation No. : PM09-800281GRB-IMG3973\_LOC13-E450446\_N4807922-L01-T01-D270-MLR00.WFV Configuration No. :

L01-800281GRB-20120730-MLR.WFL Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : Furthest visible wind turbine

### MAP



Prepared for :



Prepared by

**GL** Garrad Hassan Date: August 8<sup>th</sup>, 2012

Version 00

# **VISUAL SIMULATION**

As viewed from the intersection of **Zurich Hensall Road and Blind Line** 

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.





# **TECHNICAL DATA**

**PHOTOGRAPH - VIEW POINT** 

Photograph Number: IMG\_4127

Coordinates (UTM 17 NAD83): 448018 E 4799365 N Altitude with respect to mean sea level: 223 m

July 27<sup>th</sup>, 2012 Date Photograph was taken:

295 degrees T.N.

6 mm

99.5 m

113 m

Focal Length: View span :

56 degrees Altitude of photograph with respect to ground : 1.8 m

WIND TURBINES USED

Model: SWT-2.3-113 Height of nacelle-mid point : Rotor Diameter :

SIMULATION

Direction


Visual Simulation No. : PM10-800281GRB-IMG4127\_LOC34-E448018\_N4799365-L01-T01-D295-MLR00.WFV

Configuration No.: L01-800281GRB-20120730-MLR.WFL Total number of wind turbines for the project:

Total number of visible wind turbines in visual simulation:

Closest visible wind turbine : No. 31 @ 4.8 km Furthest visible wind turbine : No. 22 @ 6.6 km

#### MAP



Prepared for :



Prepared by:

**GL** Garrad Hassan Date: August 8<sup>th</sup>, 2012

Version 00

# **VISUAL SIMULATION**

As viewed from Dashwood Road, 500 m west of Centre Street

Note:

\* The Wire Frame Technical drawing does not take into consideration vegetation. It is possible that wind turbines are visible on the wire frame drawing but not on the visual simulation.